


THIS STANDARD IS RECOMMENDED BUT IS NOT REQUIRED.

ALL SHRUB TREES TO BE THUJA OCCIDENTALIS PYRAMIDAL (PYRAMIDAL EASTERN ARBORVITAE) OR EQUAL. TREES MUST BE A MINIMUM OF 3 TO 5 FEET IN HEIGHT AT TIME OF PLANTING AND SHOULD BE SPACED 2 TO 2.5 FEET APART FROM EACH OTHER.



NOTES:

1. 6' HIGH CHAIN LINK FENCE TO BE CONSTRUCTED OF GALVANIZED 9 GAUGE CORE WIRE WITH 2" MESH OR WALLS MAY BE CONSTRUCTED OF CONCRETE BLOCK OR BRICK.
2. PROVIDE CASTERS AND VERTICAL LOCKING DEVICES AT FREE ENDS OF DOORS.
3. DOORS MUST SWING OPEN AT LEAST 90 DEGREES FROM CLOSED POSITION.
4. DOORS MUST SWING FREELY AND BE ABLE TO BE LOCKED IN OPEN POSITION.
5. PROVIDE A MINIMUM OF 50 FEET "STRAIGHT-IN" APPROACH TO FRONT OF ENCLOSURE.
6. AREA MUST BE FREE OF OVERHEAD OBSTACLES, SUCH AS POWER LINES, BUILDING OVERHANGS, ETC.
7. CONTAINERS MUST BE PLACED ON A HARD LEVEL SURFACE, EITHER ASPHALT OR CONCRETE.
8. CONTAINERS MUST BE COVERED.
9. FENCE POST TO BE SET IN CONCRETE TO A DEPTH OF 36" BELOW FINISHED GROUND LEVEL.
10. CONTACT SUNSHINE DISPOSAL FOR APPROPRIATE SIZE OF CONTAINERS.

CITY OF LEWISTON, IDAHO PUBLIC WORKS DEPARTMENT	
14' x 10' REFUSE CONTAINER STORAGE AREA	
APPROVED FOR PUBLICATION <i>Sharon Stuber</i> 10/21/10 City Engineer Date	DWG. NO. 7-1